



**Principal, Vijaya Raje Government. Girls Post Graduate  
College, Morar, Gwalior (M.P.)**

<https://vrgcollegegwalior.org>

Telephone No. 0751-2368329

**(NAAC Accredited 'B+' Grade, October-2017)**

E-mail: [heggpgcmorgwa@mp.gov.in](mailto:heggpgcmorgwa@mp.gov.in), [iqacvrggw@gmail.com](mailto:iqacvrggw@gmail.com)



No. ....

Date: .....

## Declaration

### Matrix- 7.1.2

**I declare that pictures, data, reports and other information enclosed in the criterion are authentic to the best of my knowledge.**

*N.S. Niranjana*

**Criterion Incharge**

**Dr. N.S. Niranjana**

*N.S. Niranjana*  
IQAC  
CO-ORDINATOR  
Vijaya Raje Govt Girls PG College  
Morar-Gwal





**Principal, Vijaya Raje Government. Girls Post Graduate  
College, Morar, Gwalior (M.P.)**

<https://vrgcollegegwalior.org>

Telephone No. 0751-2368329

(NAAC Accredited 'B+' Grade, October-2017)

E-mail: [heggpgcmorgwa@mp.gov.in](mailto:heggpgcmorgwa@mp.gov.in), [iqacvrggwl@gmail.com](mailto:iqacvrggwl@gmail.com)




## INDEX


CRITERIA - VII		
Institutional Values and Best practices		
Metrics	List of documents	Page No.
7.1.2	Document Enclose- 1.Purchase agreement of azure power rooftop solar 2.Waste management, Water Conservation, Green Campus Initiatives & Disabled Friendly Environment	01-15 01-13

  
IAC  
CO-ORDINATOR  
Vijaya Raje Govt Girls PG College  
Morar-Gwl



**A Letter of Power Purchase Agreement Between the Govt. Girls PG College Murar And Azure Power Rooftop Five Private Limited (Company) Dated 29 Sep. 2018.**

 **Azure Power**  
Jt. Secy. to Govt. Girls PG College Murar  
13.02.2020

 231349833

Dated: 6/2/2020 44 P

To,  
The Principal,  
Govt. Girls PG College, Murar,  
Gwalior, Madhya Pradesh - 474006

CC:

(1) **Security Trustee:**  
Catalyst Trusteeship Limited,  
810, 8<sup>th</sup> Floor Kailash Building,  
26, Kasturba Gandhi Marg,  
New Delhi -110001

(2) **Debenture Trustee:**  
Catalyst Trusteeship Limited,  
810, 8<sup>th</sup> Floor Kailash Building,  
26, Kasturba Gandhi Marg,  
New Delhi -110001

(3) **Escrow Bank:**  
IndusInd Bank Limited  
Central Processing Unit,  
Escrow Operations, 3<sup>rd</sup> Floor,  
PNA House, Plot No. 57 & 57/1,  
Road No. 17, Near SRL Diagnostic Centre  
MIDC, Andheri (East)  
Mumbai-400093

Dear Sir / Madam,

**Sub: Power Purchase Agreement dated 29.09.2018 between the Govt. Girls PG College, Murar, and Azure Power Rooftop Five Private Limited ("Company")**

We refer to the power purchase agreement dated 29.09.2018 entered into between the Govt. Girls PG College, Murar, (the "Procurer") and the Company (the "PPA") in relation to 20 kW solar rooftop power project located at Govt. Girls PG College, Murar, (the "Project").

For the purpose of financing the Project, the Company has availed / is proposing to avail certain loans and facilities from the banks, financial institutions and multilateral agencies (the "Senior Lenders"), in accordance with the terms and conditions of the loan agreement(s) entered into between the Company and each of the Senior Lenders (the "Senior Loan Agreements") (details of which has been set out in Part C of Schedule I hereto), the Common Terms Agreement dated 6<sup>th</sup> November, 2018 entered into between the Company and the Senior Lenders (the "Common Terms Agreement") and other related ancillary documents.

Further, the Company is proposing to issue unlisted, secured, redeemable, non-convertible debentures on a

**PRINCIPAL**  
Jt. Secy. to Govt. Girls P. G. College  
Murar, Gwalior

**CO-ORDINATOR**  
Jt. Secy. to Govt. Girls P. G. College  
Murar, Gwalior

**AZURE POWER ROOFTOP FIVE PRIVATE LIMITED**  
CIN: U40106DL2017PTC317611  
Regd. Office: 3rd Floor, Asset 301-304 and 307, Worldmark 3, Aerocity, New Delhi 110057  
Ph: 011-49409800 Email: info@azurepower.com Web: www.azurepower.com



45

private placement basis to the banks, financial institutions and multilateral agencies (the "Debtenture Holders") (details of which has been set out in Part B of Schedule I hereto), in accordance with the terms and conditions of the Debtenture Trust Deed dated November 6, 2019 entered into between the Company and the Debtenture Trustee (the "Debtenture Trust Deed") and other related ancillary documents.

It is a requirement under the Senior Loan Agreements, the Common Terms Agreement and the Debtenture Trust Deed that the Company shall ensure that all monies due and payable from the Procurer to the Company arising under or in respect of and in accordance with the PPA shall be deposited into the designated accounts as identified in the Trust and Retention Agreement dated 6/2/2020 entered into between *inter alia* the Company and the Account Bank.


In light of the above, we hereby request you to kindly make all payments legally due and payable or that may become due and payable, from the Procurer to the Company arising under or in respect of and in accordance with the PPA by payment into the account entitled the "Trust and Retention Account" bearing number 201003848365 maintained with IndusInd Bank Limited.

All references to the term, "Senior Lenders" and "Debtenture Holders" shall mean persons providing financial assistance to the Company (including its assignees, transferees and novates), acting through their trustee or agent.

We request you to acknowledge the receipt of this letter and signify your agreement to the terms of this letter.

Yours faithfully,

For and on behalf of Azure Power Rooftop Five Pvt Ltd.

By:   
Title: Authorised Signatory

Acknowledged and Accepted

Govt. Girls PG College, Murar,

By: \_\_\_\_\_  
Title: Authorised Signatory

  
PRINCIPAL  
Vijaya Raje Govt. Girls P. G. College  
Morar, Gwalior

  
IQAC  
CO-ORDINATOR  
Vijaya Raje Govt Girls PG College  
Morar-Gwl

SCHEDULE I

PART A

S. No.	Lender	Senior Loan Agreement(s)	Commitment (in INR/USD)
1.	Société De Promotion Et De Participation Pour La Cooperation Economique ("Proparco");	Amendment to the Loan Agreement dated 6 <sup>th</sup> November, 2019 entered into between Proparco and the Company.	USD 0.66 Mn
2.	Oesterreichische Entwicklungsbank AG ("OeEB")	Amendment to the Loan Agreement dated 6 <sup>th</sup> November, 2019 entered into between OeEB and the Company.	USD 0.33 Mn
<b>TOTAL</b>			USD 0.99 Mn

PART B

S. No.	Debenture Holder	Commitment (in INR/USD)
1.	International Finance Corporation ("IFC")	INR 50.05 Mn
2.	Nederlandse Financierings-Maatschappij voor Ontwikkelingslanden N.V. ("FMO")	INR 34.72 Mn
<b>TOTAL</b>		INR 84.77 Mn

*[Signature]*  
**PRINCIPAL**  
 Vijaya Raje Govt. Girls P. G. College  
 Morar. Gwalior

*[Signature]*  
**IQAB**  
**CO-ORDINATOR**  
 Vijaya Raje Govt Girls PG College  
 Morar-Gwl

Institute/CPSE	District/City	KW (RFS)	Swikr/ Adhikrat bhar ( KW)	Total Load	No. of Bills	Remark
18 Virangana Jhankar Bai Govt. Girls College	Gwalior	25	1	1	1	Insufficient Load
Govt. Shyamal Pandviya College	Gwalior	10	1			
Govt. Shyamal Pandviya College	Gwalior		3.64			
Govt. Shyamal Pandviya College	Gwalior		6.714			
19 Govt. Shyamal Pandviya College	Gwalior	12		33.354	4	Multiple Connection
Govt. Girls PG College	Gwalior	20	30			
Govt. Girls PG College	Gwalior		12			
Govt. Girls PG College	Gwalior		10			
Govt. Girls PG College	Gwalior		5			
Govt. Girls PG College	Gwalior		1.84			
20 Govt. Girls PG College	Gwalior		10	68.84	7	Multiple Connection
Govt. Kamla Nehru Girls College	Damoh	25	1.9			
Govt. Kamla Nehru Girls College	Damoh		5			
Govt. Kamla Nehru Girls College	Damoh		9.3			
Govt. Kamla Nehru Girls College	Damoh		1.8			
21 Govt. Kamla Nehru Girls College	Damoh		1	19	6	Multiple Connection & Insufficient Load
22 Govt. College	Damoh	10	3	3	1	Insufficient Load
Govt. M.J.S College	Bhind	20	3			
23 Govt. M.J.S College	Bhind		3	6	2	Multiple Connection & Insufficient Load
24 Govt. Girls College	Bhind	20	3	3	1	Insufficient Load
25 Govt. College Porsa	Morona	20	1.65	1.65	1	Insufficient Load
26 Shri. Makhan Lal Chaturvedi Govt. College Babai	Hoshangabad	15	2.5	2.5	1	Insufficient Load
Govt. Home Science Girls PG College, Auditorium building			5			
Govt. Home Science Girls PG College, Science Block			18			
27 Govt. Home Science Girls PG College, New Hostel Building	Hoshangabad	25	13	78.98	7	Multiple Connection
Govt. Home Science Girls PG College, Old Hostel Building			15			
Govt. Home Science Girls PG College, Library Building			2.984			
Govt. Home Science Girls PG College, Main Building			25			
28 Swami Vivekanand Govt. College	Raisen	20	3	3	1	Insufficient Load
29 Govt. Girls College	Raisen	20	3	3	1	Insufficient Load

PRINCIPAL  
Vijaya Rajee Govt. Girls P G College  
Morar-Gwalior

CO-ORDINATOR  
Vijaya Rajee Govt. Girls PG College  
Morar-Gwalior

PGS/23/17

47

48



# Registration and Stamp Department Madhya Pradesh

## Certificate of Stamp Duty

**E-Stamp Code** 01011427072020011575  
**Total E-Stamp Amount** 500  
**Govt Stamp Duty (Rs.)** 500  
**Municipality Duty (Rs.)** 0  
**Jannpad Duty (Rs.)** 0  
**Upkar Amount (Rs.)** 0  
**Exempted Amount (Rs.)** 0  
**E-Stamp Type** NON JUDICIAL  
**Issue Date & Time** 27/07/2020 16:46:17  
**Service Provider or Issuer Details** SAVITA NILESH BORDE/SP014842705201800017  
**SP/SRO/DRO/HO Details** VISION ENTERPRISES D-12 PRAGATI NAGAR NEAR NAGAR PALIKA NIGAM BURHANPUR MP 450331 Mobile No: +91 9479809038 BURHANPUR BURHANPUR

**Deed Type** Agreement or Memorandum of an agreement  
**Deed Instrument** If not otherwise provided for Five hundred rupees  
**Purpose** Agreement or Memorandum of an agreement

**Organization Name** GIRLS COLLEGE, GARAM SADAK MORAR Madhya Pradesh 4  
**Address** Govt Girls PG College, Addr. GIRLS COLLEGE, GARAM SADAK MORAR Madhya Pradesh 474006 GWALIOR Madhya Pradesh INDIA  
**Number of Persons** 1

**Organization Name** MPMKVVCL Gwalior Madhya pradesh 462023  
**Address** MPMKVVCL Addr. MPMKVVCL Gwalior Madhya pradesh 462023 GWALIOR Madhya Pradesh INDIA  
**Number of Persons** 1

**Govt Girls PG College Addr.** GIRLS COLLEGE, GARAM SADAK MORAR Madhya Pradesh 474006  
**MPMKVVCL Addr.** MPMKVVCL Gwalior Madhya pradesh 462023



Digitally signed by SAVITA BORDE  
 Date: 2020.07.27 16:46:23  
 IST

PRINCIPAL  
 Vijaya Raje Govt. Girls  
 P.G. College, Morar, Gwalior


CO-ORDINATOR  
 Vijaya Raje Govt Girls PG College  
 Morar, Gwalior

49



# Registration and Stamp Department Madhya Pradesh

## Certificate of Stamp Duty



**E-Stamp Code** 01011427072020010955  
**Total E-Stamp Amount** 500  
**Govt. Stamp Duty (Rs.)** 500  
**Janpad Duty (Rs.)** 0  
**Exempted Amount (Rs.)** 0  
**E-Stamp Type** NON-JUDICIAL  
**Issue Date & Time** 27/07/2020 16:21:51  
**Service Provider or Issuer Details** SAVITA NILESH BORDE/SP014842705201800017  
**SP/SRO/DRO/HO Details** VISION ENTERPRISES, D-12, PRAGATI NAGAR, NEAR NAGAR PALIKA NIGAM BURHANPUR MP 450333 Mobile No +91 9479809038 BURHANPUR BURHANPUR


**Deed Type** Agreement or Memorandum of an agreement  
**Deed Instrument** If not otherwise provided for- Five hundred rupees  
**Purpose** Agreement or Memorandum of an agreement

**Organization Name** GIRLS COLLEGE, GARAM SADAK MORAR Madhya Pradesh  
**Address** Govt Girls PG College Addre. GIRLS COLLEGE, GARAM SADAK MORAR Madhya Pradesh 474006 GWALIOR Madhya Pradesh INDIA  
**Number of Persons** 1

**Organization Name** MPMKVVCL Gwalior Madhya pradesh 462023  
**Address** MPMKVVCL Gwalior Madhya pradesh 462023 GWALIOR Madhya Pradesh INDIA  
**Number of Persons** 1  
**Govt. Girls PG College Addre.** GIRLS COLLEGE, GARAM SADAK MORAR Madhya Pradesh 474006  
**MPMKVVCL Addre.** MPMKVVCL Gwalior Madhya pradesh 462023



*Savita*  
**PRINCIPAL**  
 Vijaya Raj Govt. Girls P. G. College  
 Morar Gwalior





50

**Net Metering Inter Connection Agreement**

1. This Agreement is made and entered into at ..... on this (date) ..... between the 'Eligible Consumer', by the name of **Govt. Girls PG College** having premises at (address) **GIRLS COLLEGE,, GARAM SADAK,MORAR** as first party AND Distribution Licensee Madhya Pradesh Madhya Kshetra Vidyut Vitran Company (here in after called as Discom) and represented by ..... (designation of office) and having its registered office at (address) ..... as second party of the agreement.

*J. Mal*  
**PRINCIPAL**  
Vijaya Raje Govt. Girls  
P. G. College, Morar, Gwalior

And whereas, the Discom agrees to provide grid connectivity to the Eligible Consumer for injection of the electricity generated from his renewable energy plan to capacity 25 kilowatt sin to the power system of Discom, as per conditions of this agreement, and MPERC (Net Metering) Regulations, 2015 issued by Madhya Pradesh Electricity Regulatory Commission, and Madhya Pradesh Policy for Decentralized Renewable Energy Systems, 2016. Both the parties hereby agree to as follows:

*J. Mal*  
**PRINCIPAL**  
Vijaya Raje Govt. Girls  
P. G. College, Morar, Gwalior

**2. Technical and Interconnection Requirements**

2.1 The Eligible Consumer agrees that his renewable energy generation plant and net metering system will conform to the standards and requirements specified in MPERC (Net Metering) Regulations, 2015 and Madhya Pradesh Policy for Decentralized Renewable Energy Systems, 2016, al also the following Regulations and codes, as amended from time to time:-

1. CFA's (Technical Standards for connectivity of the Distributed Generating Resources) Regulations, 2013.
2. Central Electricity Authority (Installation and Operation of Meters) Regulations, 2006.
3. Central Electricity Authority (Measures relating to safety and electric supply) Regulations, 2010.
4. MPERC Supply code Regulations, 2007.

*J. Mal*  
**PRINCIPAL**  
Vijaya Raje Govt. Girls  
P. G. College, Morar, Gwalior

2.2 Eligible Consumer agrees that he has installed or will install, prior to connection of Renewable Energy system to Discom's distribution system, an isolation device (both automatic and inbuilt within inverter and external manual relays) and agrees for the Discom to have access to the renewable energy system, if required for repair & maintenance of the distribution system.

*J. Mal*  
**PRINCIPAL**  
Vijaya Raje Govt. Girls P. G. College  
Morar, Gwalior

*J. Mal*  
**IQAC**  
**CO-ORDINATOR**  
Vijaya Raje Govt Girls PG College  
Morar-Gwl

*J. Mal*  
25.09.2020  
**PRINCIPAL**  
Vijaya Raje Govt. Girls  
P. G. College, Morar, Gwalior

- 23 Eligible Consumer agrees that in case of a power outage on Discom's system, Renewable Energy system will disconnect/isolate automatically and his plant will not inject power into Licensee's distribution system. **PRINCIPAL**  
Vijaya Raje Govt. Girls P. G. College, Morar, Gwalior
- 24 All the equipment connected to distribution system shall be compliant with relevant International (IEEE/IEC) or Indian standards (BIS) and installations of electrical equipment must comply with Central Electricity Authority (Measures of Safety and Electricity Supply) Regulations, 2010. **PRINCIPAL**  
Vijaya Raje Govt. Girls P. G. College, Morar, Gwalior
- 25 Eligible Consumer agrees that licensee will specify the interface/interconnection point and metering point. **PRINCIPAL**  
Vijaya Raje Govt. Girls P. G. College, Morar, Gwalior
- 26 Eligible Consumer and licensee agree to comply with the relevant CEA regulations and MPERC (Metering) Regulations, 2007 in respect of operation and maintenance of the plant, drawing and diagrams, site responsibility schedule, harmonics, synchronization, voltage, frequency, flicker, etc. **PRINCIPAL**  
Vijaya Raje Govt. Girls P. G. College, Morar, Gwalior
- 27 Due to Discom's obligation to maintain a safe and reliable distribution system, Eligible Consumer agrees that, if it is determined by the Discom that Eligible Consumer's Renewable Energy system either causes damage to and/or produces adverse effects affecting other consumers or Discom's assets, Eligible Consumer will have to disconnect Renewable Energy system immediately from the distribution system upon direction from the Discom and correct the problems at his own expenses prior to a reconnection. **PRINCIPAL**  
Vijaya Raje Govt. Girls P. G. College, Morar, Gwalior
- 28 The consumer shall be solely responsible for any accident to human being/animals whatsoever (fatal / non-fatal / departmental / non-departmental) that may occur due to back feeding from the SPG plant when the grid supply is off. The distribution licensee reserves the right to disconnect the consumer's installation at any time in the event of such exigencies to prevent accident or damage to man and material. **PRINCIPAL**  
Vijaya Raje Govt. Girls P. G. College, Morar, Gwalior

3 Clearances and Approvals

3.1 The Eligible Consumer shall obtain all the statutory & necessary approvals and clearances be for reconnecting the Renewable Energy system to the distribution system.

4 Access and Disconnection

**PRINCIPAL**  
Vijaya Raje Govt. Girls P. G. College  
Morar, Gwalior

**IQAC**  
**CO-ORDINATOR**  
Vijaya Raje Govt Girls PG College  
Morar-Gwl

**PRINCIPAL**  
Vijaya Raje Govt. Girls  
P. G. College, Morar, Gwalior  
25.09.2020

4.1 Discom shall have access to metering equipment and disconnecting means of the renewable energy system, both automatic and manual, at all times.

4.2 In emergency or outage situation, where there is no access to the disconnecting means, both automatic and manual, such as a switch or breaker, Discom may disconnect service to the premises of the Eligible Consumer.

5. Liabilities

5.1 Eligible Consumer and Discom shall indemnify each other for damages or adverse effects from either party's negligence or intentional misconduct in the connecting and operation of Renewable Energy system or Discom's distribution system.

5.2 Discom and Eligible Consumer shall not be liable to each other for any loss of profits or revenues, business interruption losses, loss of contract or loss of goodwill, or for indirect, consequential, incidental or special damages, including, but not limited to, punitive or exemplary damages, whether any of the said liability, loss or damages arise in contract, or otherwise.

5.3 Discom shall not be liable for delivery or realization by Eligible Consumer for any fiscal or other incentive provided by the Central/State Government beyond the scope specified by the Commission in its relevant order.

5.4 The Discom may consider the quantum of electricity generation produced in the renewable energy system under net metering arrangement towards RPO. (Applicable only in case of Eligible Consumer who is not defined as an obligated Entity).

5.5 The proceeds from CDM benefits shall be retained by the Discom.

6. Commercial Settlement

6.1 All the commercial settlement under this agreement shall follow the Net Metering Regulations, 2015 issued by MPERC.

6.2 If there is surplus power generated after fulfilling captive consumption requirement at the end of the settlement period, the surplus power shall be compensated as per MPERC Net Metering Regulations, 2015 and amendments thereof. The unadjusted net credited units of electricity, at the end of each 'Settlement period', shall be purchased by the Distribution Licensee at its Average Pooled Cost of Power Purchase, as approved by the Commission for that year. The Distribution Licensee shall provide credit equivalent to the amount payable in the immediately succeeding Billing Cycle, and, if any credit still remains, then in the following Billing Cycle(s).

*J.P.M.*  
PRINCIPAL  
Vijaya Raje Govt. Girls  
P. G. College, Morar, Gwalior

*J.P.M.*  
PRINCIPAL  
Vijaya Raje Govt. Girl  
P. G. College, Morar, Gwa

*J.P.M.*  
PRINCIPAL  
Vijaya Raje Govt. Girls  
P. G. College, Morar, Gwalior

*J.P.M.*  
PRINCIPAL  
Vijaya Raje Govt. Girls P. G. College  
Morar, Gwalior

IQAC  
CO-ORDINATOR  
Vijaya Raje Govt Girls PG College  
Morar-Gwl

*J.P.M.*  
PRINCIPAL  
Vijaya Raje Govt. Girls  
P. G. College, Morar, Gwalior  
25.09.2020

7. Connection Costs

7.1 The Eligible Consumer shall be a rail costs related to setting up of renewable energy system including metering and inter connection costs. The Eligible Consumer agrees to pay the actual cost of modifications and upgrades to the service line required to connect Renewable Energy system to the grid in case it is required.

*J. Mah*  
PRINCIPAL  
Vijaya Raje Govt. C  
P. G. College. Morar, C

8. Termination

8.1 The Eligible Consumer can terminate agreement at any time by providing Discom with 90 days prior notice.

8.2 Discom has the right to terminate Agreement on 30 days prior written notice, if Eligible Consumer commits breach of any of the terms of this Agreement or MPERC (Net Metering) Regulations, 2015 issued by the Madhya Pradesh Electricity Regulatory Commission or Madhya Pradesh Policy for Decentralized Renewable Energy System, 2016 and does not remedy the breach within 30 days of receiving written notice from Discom of the breach.

*J. Mah*  
PRINCIPAL  
Vijaya Raje Govt.  
P. G. College. Morar.

8.3 Eligible Consumer shall upon termination of this Agreement, disconnect the Renewable Energy system from Discom's distribution system in a timely manner and to Discom's satisfaction.

In witness, whereof, Mr./Mrs. Sushila Mahor for and on behalf Govt. Girls PG College (Eligible Consumer) and Mr./Mr \_\_\_\_\_ for and on behalf of Madhya Pradesh Madhya Kshetra Vidyut Vitran Company (Discom) sign this agreement in two originals.

*J. Mah*  
PRINCIPAL  
Vijaya Raje Govt.  
P. G. College. Morar.

Eligible Consumer	<i>J. Mah</i> <u>D. Sushila Mahore</u> 25.09.2020	Madhya Pradesh Madhya Vidyut Kshetra Vitran Company
Name	<i>J. Mah</i> PRINCIPAL Vijaya Raje Govt. Girls P. G. College. Morar, Gwalior	Name
Address	<u>VRG Govt Girls PG College Mamu</u>	Designation

Signature Witness 1  
*J. Mah*  
25/9/20

Signature Witness 2

*(Prof. S. K. Mahor)*

*J. Mah*  
PRINCIPAL  
Vijaya Raje Govt. Girls P. G. College  
Morar, Gwalior

*J. Mah*  
IQAC  
CO-ORDINATOR  
Vijaya Raje Govt Girls PG College  
Morar-Gwl

54

**WORK COMPLETION REPORT**

To,

The Executive Engineer (O & M-)  
Madhya Pradesh Madhay Kshetra Vidyut Vitran Company Limited  
Sir/Madam,

Sub: Submission of work completion report for system documentation requirements  
Ref: Our Application Registration No.:

With reference to the above, I hereby confirm to you that we have completed the work of installation of the renewable energy system and submit the following basic information for your perusal and request you to arrange to inspect and commission the system at the earliest:

**A. Details of the Solar PV module:**

1.	Model No.	ELDORA VSP.72.330.03.04
2.	Make with address	VikramSolar
3.	Capacity of each Module (Wp)	330 Wp
4.	No. of Modules	93 Nos
5.	Total Capacity (kWp)	30 kWp
6.	Date of Installation	

**B. Details of the Inverter**

1.	Make of the Inverter Manufacturer with address	Solis & Sungrow
2.	Model No.	Solis-20Kw
3.	AC capacity of individual inverter (kW)	30 kW
4.	No. of the inverters installed	2 Nos.
5.	Total AC capacity of individual inverter (kW)	30 kW
6.	Serial Nos.	1107E2194040029 A1812110006
7.	Date of Installation	

*[Signature]*  
**PRINCIPAL**  
Vijaya Raje Govt. Girls P. G. College  
Morar, Gwalior

*[Signature]*  
**IQAC**  
**CO-ORDINATOR**  
Vijaya Raje Govt Girls PG College  
Morar-Gwl

55

C. Details of the Cables: DC

1.	Make/Name of the Manufacturer	APAR
2.	Size & Type	4 SQ MM 1 CORE, XLPO FRLS

D. Details of the AC wiring:

1.	Make/Name of the Manufacturer	Polycab
2.	Size & Type	4C x 16 Sqmm Cu. XLPE, 1.1kV4cx25Sqmm AL. XLPE

E. Details of the DC distribution box

1.	Make/Name of the Manufacturer	NA
2.	SI. No.	NA
3.	DC Surge Protection Device	NA
4.	MCB/Isolator quantity & capacity	NA
5.	Size & Type	NA

F. Details of the AC distribution box

1.	Make/Name of the Manufacturer	
2.	SI. No.	
3.	AC Surge Protection Device	
4.	MCB/MCCB quantity & capacity	
5.	Size & Type	

G. Details of the Earthing

1.	Earth resistance (shall be less than 2 ohm)	Yes
2.	Size of the Earth wire/flat*	25 mm * 3 mm G.I.
3.	Two separate Earthing Points • Modules & DC Surge arrester (Yes/No) • Inverter, AC Surge protection device & lightning Arrester (Yes/No)	Yes
4.	Size & Type	25 mm * 3 mm G.I.

H. Details of the Net meter details (please enclose the test report of the bi-directional meter tested at the laboratory of the DISCOM)

1.	Make	SECURE
2.	Serial No.	
3.	Capacity	Amp
4.	Type/Model	Premier-
5.	Single ph./Three ph.	Three Phase
6.	CT Ratio	/ AMP
7.	Date of Test by MT, DISCOM	

*[Signature]*  
**PRINCIPAL**  
 Vijaya Raje Govt. Girls P. G. College  
 Morar. Gwalior

*[Signature]*  
**IQAC**  
**CO-ORDINATOR**  
 Vijaya Raje Govt Girls PG College  
 Morar-Gwl

**I. Details of the Caution signage:**

- 1. Solar Panel location
- 2. Inverter Installed location
- 3. Net Meter Installed location
- 4. Earthing location

**J. GPS Co-ordinates of the Renewable Energy System Installation**

Latitude 26.226408° N

Longitude 78.225736° E

**CERTIFICATION:**

Certified that the above said renewable energy system was installed and the equipment used comply with the Technical and Safety standards as specified by the DISCOM under net metering program.

Signature of the Applicant

Name and Signature of the System Installer

*[Signature]*  
**PRINCIPAL**  
 Vijaya Raje Govt. Girls  
 P. G. College, Morar, Gwalior

Name of the firm and address

Name: *Dr. Sushila Mahesh*

Name: Azure Power Roof Top Pvt. Ltd

Date: *25/9/20*

Date:

**Enclosures:**

- 1. Test report of net meter tested at the laboratory of the DISCOM
- 2. Copy of the IEC/IS Test certificates of PV modules, Inverter etc.
- 3. Data sheets/Drawing for the array mounting System.
- 4. Actual Single line wiring diagram (SLD) of the SPV System.
- 5. Copy of Interconnection Agreement on non-judicial stamp paper of Rs. 500/- with DISCOM.

*[Signature]*  
**PRINCIPAL**  
 Vijaya Raje Govt. Girls P. G. College  
 Morar, Gwalior

*[Signature]*  
**IQAC**  
**CO-ORDINATOR**  
 Vijaya Raje Govt Girls PG College  
 Morar-Gwl

57

**MADHYA PRADESH URJA VIKAS NIGAM LIMITED**  
 (M.P. Govt. undertaking)  
 Urja Bhawan, Main road No.2,  
**SHIVAJI NAGAR, BHOPAL (MP)-452016**  
 Phone: 0755-2556566, 2556526 FAX:2553122  
 E-mail: se.mpuvn1982@gmail.com; Web: www.mprenewable.nic.in



**PROJECT SATISFACTION CERTIFICATE**

Grid-connected Solar photovoltaic power plant of 30 KWp capacity is installed and commissioned partly/fully at Govt. Girl PG College, Morar Dist. Gwalior as per approval letter no. (Ref No.) MPUVN/GCRT/RESCO-I/Group-A/861 Dated: 02/07/2019 (MPUVN/GCRT/RESCO/2018-19/2868 Bhopal, Dated 27/09/2018) and is working satisfactorily. Details of the system are given below:-

**1. Details of Systems components installed:**

S.N.	Particulars	No/Make/Capacity	
1	Solar module	No	93
		Capacity	330 Wp
		Make	Vikramsolar
2	Inverter	No	2 Nos
		Capacity	20 Kw & 10 Kw
		Make	Solis & Sungrow
3	Other system accessories junction boxes, distribution panel, etc.	Provided	
4	Any additional work done, please specify with full details	No	

Signature/Seal  
(Name & Designation)  
RESCO DEVELOPER

In Presence of

Signature/Seal  
(Name & Designation)  
DREO, MPUVNL

Date:  
Place:

*P. M. M.*  
PRINCIPAL 25.04.2020  
Vijaya Raja Govt. Girls  
P. G. College, Morar, Gwalior  
Signature/Seal  
(Name & Designation)  
BENEFICIARY ORGANIZATION

*P. M. M.*  
PRINCIPAL  
Vijaya Raja Govt. Girls P. G. College  
Morar, Gwalior

*P. M. M.*  
CO-ORDINATOR  
Vijaya Raja Govt. Girls PG College  
Morar-Gwa



58

## Commissioning Certificate (Provisional) for grid connected solar photovoltaic power plant

Certified that a Grid Connected SPV Power Plant of 30 KWp Capacity has been installed at Govt. Girl PG College, Morar Dist Gwalior Madhya Pradesh (Beneficiary Organization) installed by M/s Azure Power Rooftop Five Pvt. Ltd. On 18/10/2019 is as per BIS/MNRE specifications/Standards. The System has been checked for its performance on 18/10/19 without installation of bi-directional meter and it is working satisfactorily. The system is suitable for installation of bi-directional energy meter or for captive requirement.

*J. Mah*  
25-07-2020  
PRINCIPAL

Name and Signature of the Authorized Signatory of Beneficiary Organization with seal  
Vijaya Raje Govt. Girls P. G. College, Morar, Gw.

Name and Signature of the Authorized Signatory of Developer with Company Seal

Name and Signature of MPUVNL's DREO Authorized Signatory with Seal

*J. Mah*  
PRINCIPAL  
Vijaya Raje Govt. Girls P. G. College  
Morar, Gwalior

*S*  
IQAC  
CO-ORDINATOR  
Vijaya Raje Govt Girls PG College  
Morar-Gwl


# Photo of Pit for Degradable Waste management




# Photos of Rain water Harvesting In the Campus Of







## Photos of Greenery In the campus of the college






# Green Campus



# Green Campus




# Green Campus





## Photo of 1<sup>st</sup> floor Ramp Facility in the Science Block



## Photo of Ramp Facility in the department of psychology




## Photos of Ramp Facility in Administrative Block






**Photos of ramp Facility in the department of Commerce**



**Photo of Ground floor ramp Facility in the Science Block**



**Photo of Ground floor ramp Facility in the Science Block**



# Green Campus

## Photos of Dancing Peacock in Gandhi Udyan





 **GPS Map Camera**

**Gwalior, Madhya Pradesh, India**  
66GG+C72, Morar, Gwalior, Madhya Pradesh 474006,  
India  
Lat 26.226032°  
Long 78.225739°  
20/06/23 04:20 PM GMT +05:30




**Gwalior, Madhya Pradesh, India**  
66GG+C72, Morar, Gwalior, Madhya  
Pradesh 474006, India  
Lat 26.226049° Long 78.22588°  
20/06/23 04:23:19 PM





RAJE  
EGE...  
...  
Google  
Prathviraj Marg

Gwalior, Madhya Pradesh, India  
66GG+C72, Morar, Gwalior, Madhya  
Pradesh 474006, India  
Lat 26.226078° Long 78.225815°  
20/06/23 04:23:44 PM



## **Video of Peacock Infront of Canteen**

[View Video](#)

## **Video of Dancing Peacock in Gandhi Udyan**

[View Video](#)

## **Peacock Feeding Video Infront of Administrative Block**

[View Video](#)

## **Video of Peacock feeding**

[View Video](#)